SAFETY DATA SHEET

Revison Date: 12/15/2025 11:07:46 PM

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Product Name: Lebanon Pro 18-0-4 25% PCU LockUp

EPA No: 062719-00590-000961

Product Identity: Post emergent pesticide with fertilizer (Weed+Feed), granular

Supplier/Manufacturer

Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon PA 17042

Tel: 1-800-233-0628 USA

(717-273-1685) INTL Supplier Email: customerservice@lebsea.com

Emergency telephone numbers:

Chemtrec (Spill) 1-800-424-9300 Prosar (Health) 888-208-1368

2. HAZARDS IDENTIFICATION

OSHA Signal Word: Warning

Classification:

H302: Harmful if swallowed. (Category 4), Acute toxicity, oral

H312: Harmful in contact with skin. (Category 4), Acute toxicity, dermal

H315: Causes skin irritation. (Category 2), Skin corrosion/irritation

H332: Harmful if inhaled. (Category 4), Acute toxicity, inhalation

H335: May cause respiratory irritation. (Category 3), Specific target organ toxicity, single

exposure; Respiratory tract irritation

H319: Causes serious eye irritation. (Category 2A), Serious Eye Irritation

H320: Causes eye irritation. (Category 2B), Eye Irritation

Hazard Statements:

H302: Harmful if swallowed. (Category 4)

H312: Harmful in contact with skin. (Category 4)

H315: Causes skin irritation. (Category 2)

H319: Causes serious eye irritation. (Category 2A)

H320: Causes eye irritation. (Category 2B)

H332: Harmful if inhaled. (Category 4)

H333: May be harmful if inhaled. (Category 5)

H335: May cause respiratory irritation. (Category 3)

Pictogram:



Page 1 of 9 Item: 2240752

Precautionary Statements for handling:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305: If in eyes, rinse with water and seek medical attention if symptoms persist.

P322: Specific measures (see Health and Safety on this label).

P330: Rinse mouth.

P362: Take off contaminated clothing and wash before reuse.

P363: Wash contaminated clothing before reuse.

P301: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P352: IF ON SKIN: Wash with plenty of soap and water.

P312: IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.

P351: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313: If skin irritation occurs: Get medical advice/ attention.

P337: If eye irritation persists: Get medical advice/attention.

P405: Store locked up.

P403: Store in a well-ventilated place.

P233: Keep container tightly closed.

P501: Dispose of contents/container properly as required by law for waste pesticides.

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Hazards not otherwise classified (HNOC): None

Unknown acute toxicity: <1% of the mixture consists of ingredients of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %
Dolomite	16389-88-1	40 - 45
Urea	57-13-6	25 - 30
Urea (Polyplus)	57-13-6	10 - 15
Potassium Chloride	7447-40-7	5 - 10
Corncob fractions	N/A	5 - 10
Cellulose Paper Fiber	9004-34-6	5 - 10
2,4-D Acid	94-75-7	1 - 5
Dicamba	1918-00-9	0.01 - 0.1
Penoxsulam	219714-96-2	0.01 - 0.1

4. FIRST AID MEASURES

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact Wash with soap and water. If injury occurs, or if discomfort or irritation persists contact a physician.

Page 2 of 9 Item: 2240752

Inhalation If inhaled and discomfort occurs, move to fresh air, and keep person at rest in a position comfortable for

breathing. If difficulty in breathing occurs and/or persists, administer oxygen and get medical attention.

If medical advice is needed, have product container or label on hand.

Ingestion Rinse mouth. Drink Plenty of water. If you feel unwell, call a poison control center or seek medical

attention. Do not induce vomiting of an unconscious person.

<u>Self-protection of the first aider:</u> Use any appropriate personal protective equipment as required for nuisance dusts.

<u>Most important symptoms and effects, both acute and delayed:</u> Nuisance dust irritation may occur with nasal discomfort under highly dusty conditions.

Eye irritation on contact with redness, tearing and burning sensation.

Coughing, sneezing, or irritation of nose and throat.

Redness, itching, or burning sensation on skin with prolonged contact.

<u>Indication of any immediate medical attention and special treatment needed:</u> Treat Symptoms. Consult physician if discomfort or irritation persists.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing media suitable to local circumstances and the surrounding environment. Options in this case include water, CO_2 , ABC Dry Chemical extinguisher, or foam. Avoid stirring up dust extinguisher stream.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire, do not breathe fumes.

Explosion data

Sensitivity to mechanical impact: None Sensitivity to static discharge: None

Note: Excessive amounts of any burnable dusts can produce explosive mixtures if allowed to disperse in the air in confined areas where ignition sources occur. Prevent excessive dust dispersal in areas of use, storage, or production.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and standard protective (bunker) gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Page 3 of 9 Item: 2240752

Personal Precautions Use dust mask and gloves as needed or other reasonable personal protective equipment as

required to prevent contact with eyes or skin. Remove ignition sources prior to clean-up.

If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: Seek

medical advice.

If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: Seek

medical advice.

If experiencing respiratory symptoms: seek medical attention.

If experiencing significant respiratory symptoms: seek medical attention. If experiencing significant respiratory symptoms: seek medical attention.

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional ecological

information.

Methods for containment Prevent further leakage or spillage, if safe to do so.

Methods for clean-up

Use dust mask and/or reasonable personal protective equipment as required to avoid

breathing dusts. Moisten or cover powder spill with plastic sheet or tarp to minimize spreading. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Soak up excess with inert absorbent material. Clean contaminated surface

thoroughly.

7. HANDLING AND STORAGE

Safe Handling Ensure adequate ventilation, especially in confined areas. Use personal protective

equipment as required to avoid breathing dusts or mists, and to prevent eye contact. Wash

hands thoroughly after handling.

Storage Conditions Keep containers tightly closed in a cool, well- ventilated place. Keep out of the reach of

children.

Incompatible materials Avoid strong acids or alkali, or other reactive substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidlines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH*
Nuisance Dusts (for granulars)	10 mg/m3 (TWA- Total)	15 mg/m3 (TWA total) 50	Not Established
		mppcf (TWA total) 5 mppcf	
		(TWA respirable)	

^{*}IDLH refers to amounts that are "Immediately Dangerous to Life or Health"

Engineering controls: Use with adequate ventilation and follow safe work practices to prevent dust buildup in air.

Individual protection measuresUse personal protective equipment as required to avoid breathing dust/mist, and to prevent eye contact.

Eye protection Provide face and eye protection: face shield and goggles recommended if face or eye contact is

likely.

Skin and Body Protection Gloves and standard work coveralls recommended

Page 4 of 9 Item: 2240752

Respiratory Protection Dust mask recommended for dusty or misty conditions. If exposure limits are exceeded or

irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene When using product, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash

contaminated clothing before reuse.

Also see Precuationary Statements in Section 2

9. PHYSICAL AND CHEMCIAL PROPERTIES

Physical state Granular Solid
Appearance Granular Solid
Color Mixed, various

Odor Slight

Odor Threshold No information available

pH Not applicable
Melting point/freezing point Not applicable
Boiling point / boiling range Not applicable

Flash point No information available

Evaporation rate Not applicable

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure Not applicable
Vapor density Not applicable
Water solubility Mostly insoluble

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Oxidizing properties
No information available

10. STABILITY AND REACTIVITY

Reactivity

Not Reactive

Chemical stability

Stable

Possibility of Hazardous Reactions

May release heat and fumes when mixed in solution with incompatible reactive materials.

Hazardous polymerization

Will not occur.

Conditions to avoid

High heat, sparks and open flames, as some ingredients may be burnable.

Incompatible materials

Strong acids or alkali, or other reactive substances.

Hazardous Decomposition Products

May emit toxic fumes under fire conditions, such as Nitrogen oxides (NOx), Ammonia, Oxides of

Page 5 of 9 Item: 2240752

sulfur, Hydrogen chloride and Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Ingestion, eyes (contact), skin (contact), dust inhalation

Symptoms May irritate the digestive tract if ingested in quantity, causing nausea, vomiting and

diarrhea.

Eye irritation on contact with redness, tearing and burning sensation.

Coughing, sneezing, or irritation of nose and throat.

Redness, itching, or burning sensation on skin with prolonged contact.

Sensitization No information available.

Germ cell mutagenicity None known unless noted below in Other

Carcinogenicity IARC Group 2B: Possibly carcinogenic to humans

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

No information available

No information available

Chronic toxicity Yes

Target Organ Effects Lungs-Nuisance dusts

Liver, Kidney

Aspiration hazard No information available

Other

12. ECOLOGICAL INFORMATION

Pesticides can be very toxic to aquatic organisms on an acute basis.

Persistence and degradability
Bioaccumulation
Other adverse effects
No information available
No information available

Fertilizers may be harmful to aquatic life with short term effects, causing algal bloom and increased BOD, depending on the amount released.

Penoxsulam is very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal of wastes:

Excess product should be used up according to label directions, to avoid disposal issues. Dispose of in accordance with Local, State, and Federal regulations.

Contaminated packaging

Do not recycle or reuse any pesticide container. Follow local regulations.

14. TRANSPORT INFORMATION

NMFC 68140-05 FERT COMPOUNDS (MFGD FERT) NOI, DRY W/HERBI OR INSECTI ADMIXED <=5% GROSS WT

Page 6 of 9 Item: 2240752

Products under 219 lbs. not regulated by DOT. Below are designations for products over Note:

219 lbs. See RQ

DOT

UN/ID no: UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S

Hazard Class: Packing Group: III

Reportable Quantity 2,4-Dichlorophenoxyacetic acid (2,4-D): RQ (lb)=219.00

(RQ):

Special Provisions: 146,335,A112,B54,B120,IB8,IP3,N20,N91,T1,TP33,8

Description: UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,4-

Dichlorophenoxyacetic acid (2,4-D)), 9, III, Marine pollutant

Emergency Response

Guide Number:

IATA Limited quantity applies when the inner package weight is less than 5kg and the gross package

weight is less than 30 kg.

UN number: UN3077

UN Proper Shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S

Name:

Transport Hazard

Class(es):

Packing Group: III NAERG (North American 9L

Emergency Response

Guide):

A158, A179, A97, A197 **Special Provisions:**

171

Description: UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,4-

Dichlorophenoxyacetic acid (2,4-D)), 9, III

IMDG Limited quantity applies when the inner package weight is less than 5kg and the gross package

weight is less than 30 kg.

UN number: UN3077

UN Proper Shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S

Name:

Transport Hazard

Class(es):

Packing Group: III EmS-No: F-A, S-F

Special Provisions: 274,335,966,967,969

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,4-Description:

Dichlorophenoxyacetic acid (2,4-D)), 9, III, Marine pollutant

TDG

UN/ID no: UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S

Hazard Class: Packing Group: III

Marine pollutant: This product contains a chemical which is listed as marine pollutant according to TDG UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,4-Description:

Dichlorophenoxyacetic acid (2,4-D)), 9, III

ICAO (air)

UN/ID no: UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S

Hazard Class: 9 Packing Group:

Special Provisions: A158, A97, A179, A197

> Page 7 of 9 Item: 2240752

Description: UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,4-

Dichlorophenoxyacetic acid (2,4-D)), 9, III

MEX

UN/ID no: UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S

Hazard Class: 9

Special Provisions: 274,331,335

Packing Group: III

Description: UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,4-

Dichlorophenoxyacetic acid (2,4-D)), 9, III

15. REGULATORY INFORMATION

TSCA (USA): Complies.

General Product Information: This product is not federally regulated as a hazardous

material.

Clean Air Act: No information is available.

Clean Water Act: This product does not contain any substances regulated as

pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

SARA 313 Superfund Amendments: This product contains no chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal regulations, Part 372.

SARA 311/312 Hazard Categories:

Acute: Yes
Chronic: Yes
Fire: No
Sudden release of pressure: No
Reactive: No

CERCLA: 2,4-D RQ=100 Lb

Dicamba RQ = 1000

Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

State Regulations:

California Proposition 65:This product does not contain detectable quantities of chemicals known to the State of California to cause cancer or birth defects, or other reproductive harm.

Component Analysis - State: MA, NJ, PA

Right to Know: Oxidipropanol: PA

16. OTHER INFORMATION

The information provided in this material safety data sheet is correct to the best of our

Page 8 of 9 Item: 2240752

knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 9 of 9 Item: 2240752