

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY**Product Name: **Lebanon Pro Fertilizer 18-0-4 with Prodiamine 0.38% SCU**

EPA No: 961-365

Recommended use: This product is a mixed fertilizer/herbicide for landscape use.**Supplier/Manufacturer**

Lebanon Seaboard Corporation

1600 East Cumberland Street

Lebanon PA 17042

Tel: (800) 233-0628 (717-273-1685)

Supplier Email: customerservice@lebsea.comEmergency telephone number

800-233-0628

Chemtrec 1-800-424-9300

Prosar 888-208-1368

2. HAZARDS IDENTIFICATION

OSHA Signal Word: Warning

EPA Signal Word: Caution

Hazard Statements:

H316: Causes mild skin irritation. (Category 3)

H317: May cause allergic skin reaction with repeated contact. (Category 1B)

H320: Causes eye irritation. (Category 2B)

H333: May be harmful if inhaled repeatedly over prolonged periods. (Category 5)

H350: May cause cancer. (Category 1A)

H373: May cause damage to organs through prolonged or repeated exposure. (Category 2)

May irritate the digestive tract if ingested.

**Precautionary Statements for handling:**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe dust.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P281: Use appropriate personal protective equipment as required to avoid breathing dust.

P305, P337, P351: If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: seek medical advice.

P308: If exposed or concerned, seek medical advice.

P314: Get medical advice/attention if you feel unwell.

P332, 352: If skin irritation occurs: Wash with soap and water. Seek medical attention if irritation persists.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.**Hazards not otherwise classified (HNOC):** None

Unknown acute toxicity <1% of the mixture consists of ingredients of unknown toxicity

Continued next page...

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %
Prodiamine	29091-21-2	0.38
*Dolomitic limestone	16389-88-1	50 - 55
*Quartz silica	14808-60-7	2 - 3 (estim.)
Sulfur	7704-34-9	1.5
Nonhazardous ingredients and fillers	Various	Balance

**Note: Naturally mined minerals like limestone typically contain silica (sand) at amounts ranging from 1 to 6%. Fine silica particulates are considered as a carcinogen via repeated and prolonged inhalation over several years exposure.*

4. FIRST AID MEASURES

Eye Contact	If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: Seek medical advice.
Skin Contact	Wash with soap and water. If injury occurs, or if discomfort or irritation persists contact a physician.
Inhalation	If inhaled and discomfort occurs, move to fresh air, and keep person at rest in a position comfortable for breathing. If difficulty in breathing occurs and/or persists, administer oxygen and get medical attention. If medical advice is needed, have product container or label on hand.
Ingestion	Rinse mouth. Drink Plenty of water. If discomfort occurs, seek medical attention. Do not induce vomiting of an unconscious person.

Self-protection of the first aider: Use any appropriate personal protective equipment as required to avoid breathing dust, and to avoid eye and skin contact.

Most important symptoms and effects, both acute and delayed:

Symptoms: Irritation of eyes, nose, throat with nasal discomfort, or skin irritation possible.

Indication of any immediate medical attention and special treatment needed: Treat Symptoms.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing media suitable to local circumstances and the surrounding environment. Options in this case include water, CO₂, ABC Dry Chemical extinguisher, or foam. Avoid stirring up dust with water stream.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire, do not breathe fumes.

Explosion data

Sensitivity to mechanical impact: None

Sensitivity to static discharge: None

Note: Excessive amounts of any burnable dusts can produce explosive mixtures if allowed to disperse in the air in confined areas where ignition sources occur. Prevent excessive dust dispersal in areas of use, storage, or production.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and standard protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Personal Precautions	Use reasonable personal protective equipment as required to prevent contact with eyes or skin and to avoid breathing dust. Remove ignition sources prior to clean-up.
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.
Methods for containment	Prevent further leakage or spillage, if safe to do so.
Methods for clean-up	Use reasonable personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Soak up excess with inert absorbent material.

7. HANDLING AND STORAGE

Safe Handling	Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required to avoid breathing dust. Wash hands thoroughly after handling.
Storage Conditions	Keep containers tightly closed and locked up in a cool, well-ventilated place. Keep away from food, drink and animal feed. Keep out of the reach of children.
Incompatible materials	Avoid strong acids or alkali, or other reactive substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH*
Sulfur	Not established	TWA 5 ppm (13 mg/m ³)	Not established
Quartz silica	0.025 mg/m ³ (respirable)	(30 mg/m ³) ÷ (%SiO ₂ + 2)	3000 mg/m ³
Nuisance Dusts	10 mg/m ³ (TWA)	15 mg/m ³ (TWA total) 50 mppcf (TWA total) 5 mppcf (TWA respirable)	Not Established

*IDLH refers to amounts that are "Immediately Dangerous to Life or Health"

Engineering controls: Use with adequate ventilation to prevent dust buildup in air.

Individual protection measures: Wear protective gloves/protective clothing/eye protection/face protection.

Eye protection	Safety glasses, or goggles if eye contact is likely
Skin and Body Protection	Gloves and coveralls recommended.
Respiratory Protection	Dust mask recommended for dusty or misty conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	When using product, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid
Appearance	Granules
Color	Mixed, various

Odor	Slight
Odor Threshold	No information available
pH	Not applicable
Melting point/freezing point	Not applicable
Boiling point / boiling range	Not applicable
Flash point	No information available
Evaporation rate	Not applicable
Flammability (solid, gas)	No information available
Flammability Limits in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	Not applicable
Vapor density	Not applicable
Specific Gravity	Not applicable
Water solubility	Mostly Insoluble in water, although some ingredients may dissolve.
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Oxidizing properties	Not an oxidizer

10. STABILITY AND REACTIVITY

Reactivity

Stable

Chemical stability

Active ingredient (prodiamine) is electrically conductive.

Possibility of Hazardous Reactions

May release heat and fumes when mixed in solution with incompatible reactive materials.

Hazardous polymerization

Will not occur.

Conditions to avoid

High heat, sparks and open flames, as some ingredients may be burnable.

Incompatible materials

Strong acids or alkali, or other reactive substances; ammonia, zinc, aluminum, brass, copper.

Hazardous Decomposition Products

May emit toxic fumes under fire conditions, such as Nitrogen oxides (NO_x), Ammonia, Oxides of sulfur, Hydrogen chloride and Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Ingestion, eyes (contact), skin (contact), dust inhalation

Symptoms	Irritation of eyes, nose, throat with nasal discomfort, or skin irritation possible. May irritate the digestive tract if ingested in quantity, causing nausea, vomiting and diarrhea.
Sensitization	Sensitizing (guinea pig)
Germ cell mutagenicity	No information available
Carcinogenicity	Prodiamine caused benign thyroid tumors (rat). None observed in mice.

Potential occupational carcinogen: Naturally mined minerals, like limestone typically contain sand (silica) at amounts ranging from 1 to 6%. Fine silica particulates are considered to be carcinogenic via repeated and prolonged inhalation over several years exposure. (IARC, ACGIH).

Reproductive toxicity (prodiamine)	Fetal toxicity at high doses (rats); developmental and maternal toxicity observed at 1g/kg/d.
STOT - single exposure	No information available
STOT - repeated exposure	No information available
Chronic toxicity (prodiamine)	Skin sensitization possible.
Chronic toxicity (silica)	Lungs: silicosis, cancer.
Target Organ Effects	Liver (alteration and enlargement) and thyroid effects (hormone imbalances) at high dose levels (rats); Increased body weight gains.
Aspiration hazard	No information available

12. ECOLOGICAL INFORMATION

Fertilizers may be harmful to aquatic life with short term effects, causing algal bloom and increased BOD, depending on the amount released.

The herbicide ingredients are toxic to aquatic plants, fish and invertebrates. Use with care when applying to turf areas adjacent to any bodies of water. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent bodies of water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwater.

Application around a cistern or well may result in contamination of groundwater or drinking water, particularly where soils are permeable and water table is shallow.

Ecotoxicity

(prodiamine):

- Fish (Bluegill Sunfish) 96-hour LC50 > 552 ppb
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 83 ppb
- Bird (Bobwhite Quail) 14-day LD50 > 2250 mg/kg
- Mallard 8-day Dietary LC50: >10,000 mg/L
- Bees LC50/EC50: >100 ug/bee

Persistence and degradability	Persistent and immobile in soil
Bioaccumulation	Does not bioaccumulate.
Other adverse effects	No information available

13. DISPOSAL CONSIDERATIONS

Disposal of wastes: (Example)

EPA Waste Numbers are applicable for this product’s components.
 Dispose of in accordance with Local, State, and Federal regulations.

Contaminated packaging

US Federal: special packaging considerations for pesticide containers. If the container is empty, do not reuse it. Place it in the trash, unless the label specifies a different procedure. Follow local regulations.

Continued on next page...

14. TRANSPORT INFORMATION

DOT:	Not Regulated	ADR:	Not Regulated
Proper Shipping Name:	Non Regulated	ADN:	Not Regulated
Hazard Class:	Not Applicable	RID:	Not Regulated
IATA:	Not Regulated	IATA:	Not Regulated
Proper Shipping Name:	Non Regulated	TDG:	Not Regulated
Hazard Class:	Not Applicable	ICAO:	Not Regulated
IMDG/IMO	Not Regulated	MEX:	Not Regulated
Hazard Class	Not Applicable		
Marine Pollutant	No		

15. REGULATORY INFORMATION

Clean Air Act: No data
Clean Water Act: No data

TSCA STATUS: This product is exempt from TSCA Regulation under FIFRA Section 3(2)(G)(ii) when used as a pesticide.

CERCLA REPORTABLE QUANTITY: No components listed

SARA TITLE III:
 Section 302, Extremely Hazardous Substances: None
 Section 311/312 Hazard Categories: Acute health Hazard (immediate); Chronic Health Hazard (delayed)
 Section 313 Toxic Chemicals: None

State Regulations – General:
State Right-to-Know: Crystalline silica: CA, IL, MA, NH, NY, NJ, PA, RI
 Sulfur: NJ, PA, RI

California Prop 65: This product contains detectable quantities of chemicals (prodiamine; quartz sand mineral) known to the State of California to cause cancer .

16. OTHER INFORMATION

Disclaimer
 The information provided in this material safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.